



# *COMPACT* *plus*

200 Ws

THE COMPACT SYSTEM  
PORTRAITURE  
DOCUMENTS  
LOCATION...



# COMPACT plus

200 Ws

## COMPACT PLUS FACTS

- + INFINITE OUTPUT CONTROL VIA 4 F-STOPS (25-200 WS)
- + OUTPUT CONTROL WITH PRECISION CLICK POINT
- + PROPORTIONAL 60 W MODELING LIGHT
- + PHOTO CELL/IR RECEIVER SWITCHABLE
- + FLASH DURATION FROM 1/1030 sec, RECYCLING TIME FROM 0.6 sec
- + READY INDICATION: VISUAL (VIA HALOGEN TUBE)
- + OPEN FLASH BUTTON (TEST)
- + WEIGHT: 0.97 kg
- + P-BAYONET MOUNT
- + NOISELESS!
- + COOLING VIA VENTILATION SLOTS

Genuine Quality. Conceived, designed and manufactured in Germany.





COMPACT THE UNIT .02  
plus

STILL-LIFES BY: STEFAN DITNER /// PEOPLE BY: KATJA IRION & NIKOS CHOUDETSANAKIS // MODEL: MATILDA

## COMPACT FUNCTIONALITY IN A TIMELESS DESIGN

COMPACT PLUS, THE NEW 200 WS  
FLASH SYSTEM "MADE IN GERMANY".

Especially developed for the special requirements of ambitious amateur photographers, the COMPACT PLUS is equipped with an intuitive control panel and reasonable features for the intended areas of application like portraiture, product- and document photography. High-quality electronic and mechanical components guarantee an outstanding long-life cycle and permanently constant output. The outfit with the time proven P-bayonet mount provides almost indefinite possibilities of composition due to the wide range of available Multiblitz light shapers.





### TRUE INTUITION – THE PANEL

01 Output control 02 photo cell/IR receiver  
03 photo cell/IR receiver ON-OFF 04 Unit  
ON-OFF 05 open flash button (TEST) 06 Sync  
socket



### COMPACT PLUS LICHTFORMER

A PROGLOB-25 // B VATHRU // C PROBEAU // D COMFEX-40 // E COMWEW





**THE PERFECT SOLUTION FOR EVERY REQUIREMENT**

The multi-purpose and convincing selection of COMPACT PLUS light shapers makes it easy for users to assemble the individual equipage of their dreams. Professional light shapers, from standard reflectors with honeycomb filters to umbrellas with turnable softboxes, help to solve every photographic task. Of course, Multiblitz also provides further helpful accessories for your flash unit like flash meters, radio and infra-red flash triggers, colour filters, tripods and backgrounds.


**There are special kits for each area of application:**

**COMFORT**

**COMKOM**

**Comfortable. Triple performance for demanding tasks.**

- 3 COMPACT PLUS (COMSTU)  
(incl. flash-/halogen tube & protective cap)
- 2 Umbrella reflectors (COMSCH)
- 2 Reflective umbrellas (VARES)
- 1 Standard reflector (FILNOS)
- 3 Folding light stands (COMSTA-B)
- 1 Sync cable (MASYG)
- 3 Power cable (FILNET)
- 1 Soft case (ECOBAG-3)




**LOCATION**

**COMKIT/BAG -COMKIT/RUCK**

**Tried and trusted. For application on location.**

- 2 COMPACT PLUS (COMSTU)  
(incl. flash-/halogen tube & protective cap)
- 2 Umbrella reflectors (COMSCH)
- 2 Reflective umbrellas (VARES)
- 2 Folding light stands (COMSTA-B)
- 1 Sync cable (MASYG)
- 1 Power cable (FILNET)
- 1 Soft case (COMBAG)
- or optional:**
- 1 Rucksack (MURUCK)





**SMALL SYSTEM – WITH GREAT POSSIBILITIES**

The so-called “ttl- or pre-flash” cannot be switched off in many semi-professional as well as professional cameras, which inevitably leads to synchronisation problems between the camera and the flash device.

MULTIBLITZ provides the solution to this problem: The PRE-FLASH ELIMINATOR. With this handy unit an absolutely synchronous operation between a camera and the COMPACT PLUS becomes possible, even with cameras that do neither have a flash shoe for photocell- or radio-synchronisation nor a sync socket.

**An example:** You can synchronize the integrated flash of your digital compact camera with a COMPACT PLUS using the PRE-FLASH ELIMINATOR. As a result, the flash unit can be used as an additional fill-in. That way, messy drop shadows disappear and your motifs background will be evenly lit.

**DOCUMENTS**

**COMKIT/BIO**

**Accurate. For modern document photography.**

- 2 COMPACT PLUS (COMSTU)  
(inkl. Leuchtmittel & Schutzkappe)
- 2 Lightballs (PROGLOB-25)
- 2 Stative (COMSTA-B)
- 1 Synchronkabel (MASYG)
- 2 Netzkabel (FILNET)
- 1 Setup Karte (COMCARD)



**PORTRAIT**

**COMKIT/P/BAG - COMKIT/P/RUCK**


**Versatile. For high-quality portraiture shots.**

- 2 COMPACT PLUS (COMSTU)  
(incl. flash-/halogen tube & protective cap)
- 1 Standard reflector (FILNOS)
- 1 Softbox (COMFEX-40)
- 1 Light enhancer (COMDISC)
- 2 Folding light stands (COMSTA-B)
- 1 Sync cable (MASYG)
- 2 Power cable (FILNET)
- 1 Set-up card (COMCARD)
- 1 Soft case (COMBAG)
- or optional:
- 1 Rucksack (MURUCK)






## SHARP DETAILS



### SET-UP CARD

Each Biometric and Portrait Kit contains a set-up card with assembly instructions and technical data for the photographically correct implementation of the respective application.



### FLASH TUBES

The new COMPACT PLUS flash tubes by Multiblitz are hand-crafted according to state-of-the-art manufacturing methods in order to ensure excellent quality and a maximum life-cycle.

Of course, available in two versions: Coated and uncoated.



## COMPACT PLUS SYSTEM

### STUDIO ACCESSORIES



P-TYPE BAYONET

### UNIT



**COMSTU**  
flash unit, 200 Ws



**ECOROR / ECOROW**  
flash tubes, uncoated/coated



**FILHAL**  
halogen tube, 60 W



**COMKAP**  
protection cap



**FILNET**  
power cable



**MASYG**  
sync lead

### LIGHT SHAPERS



**COMWAN-S/-M/-L**  
honeycomb filters



**FILNOS**  
standard reflector,  
silver  
ø 16 cm



**RIWAN-S/-M/-L**  
honeycomb filters



**FILNOS-2**  
standard reflector,  
silver  
ø 25 cm



**COMWEW**  
soft beam reflector,  
white  
ø 35 cm



**PROBEAU**  
beauty reflektor,  
white  
ø 35 cm



**WEWSOF**  
soft screen,  
for COMWEW  
& PROBEAU  
ø 35 cm



**COMSOF**  
soft disc



**COMFIL**  
set of 8  
colour filters




**COMSAB-1**  
2-flap barn doors,  
with filter clips



**COMVER**  
background  
reflector, with  
filter clips



**RISOF-3**  
soft disc



**RISAB-34**  
4-flap barn door,  
with filter clips



**PROFRE**  
FRESNEL spot,  
with integral  
diaphragm. lens  
ø 15 cm



**COMBUS**  
snoot, with  
honeycomb insert,  
ø 6 cm



**PROGLOB-25**  
360° surround  
light,  
ø 25 cm

### SOFTBOXES



**PROFEX-80**  
75 x 75 cm



**RITUR-80**  
**FEXWAN-80**



**PROFEX-60**  
75 x 75 cm



**TEXWAB-60**



**COMFEX-40**  
40 x 40 cm



**PROREC-60**  
60 x 100 cm



**PROTUR**  
30 x 100 cm  
**RECWAN-60**



**COMDISC**  
light enhancer,  
silver/gold, ø 56 cm



**PROFLAP-60/-80/-100:**  
Softbox Creative Kits,  
PROFLAP-60 for PROFEX-60  
PROFLAP-80 for PROFEX-80  
PROFLAP-100 for PROFEX-100

### UMBRELLAS

### AND ELECTRONIC ACCESSORIES



**VAREU**  
umbrella,  
reversible, silver/white,  
ø 110 cm



**VARES**  
umbrella,  
white, ø 80 cm



**VATHRU**  
umbrella,  
translucent, ø 80 cm



**COMSCH**  
umbrella  
reflector



**MURAS-R**  
**MURAS-T**  
**MURAS-RT**  
radio flash  
triggering system



**MUMET**  
flash meter



**MUSEN**  
IR trigger



**PREFLAX**  
Pre-Flash  
Eliminator



**VISIT US ONLINE:**  
**WWW.MULTIBLITZ.DE**

**COMPACT** // **Multiblitz**  
 plus

**COMPACT PLUS**  
**TECHNICAL DATA**



+ FLASH POWER: 200 Ws	+ FLASH VOLTAGE STABILITY: +/- 0.5 %
+ POWER SUPPLY: 220 - 240 V	+ DIMENSIONS: 108 x 108 x 255 mm
+ GUIDE NUMBER, 2 m, ISO 100, REFLECTOR FILNOS/50°: 45.5	+ WEIGHT: 0.97 kg
+ F-STOP, 2 m, ISO 100, REFLECTOR FILNOS/50°: 22.1	+ FLASH TUBE, UV – ABSORBING, CODE: ECOROW / ECOROR
+ CONTROL RANGE: 25 – 200 Ws	+ FLASH TRIGGERING: PHOTOCELL, SYNC CABLE, OPEN FLASH BUTTON (TEST), INFRA-RED, RADIO (WITH RADIO SLAVE 2 SYSTEM)
+ RECYCLING TIME: P1/8 = 0,6 sec, P 1/1 = 2 sec	+ CONNECTED LOAD, KVA: 0.46 / 230 V / 2 A
+ FLASH DURATION T 0.5: P1/8 = 1/529 sec, P1/1 = 1/1030 sec	+ ELECTRIC SAFETY: DIN IEC 491, VDE 0882
+ HALOGEN MODELLING LIGHT : 60 W, E 14	
+ VARIATION RANGE: PROPORTIONAL	
+ SYNC SOCKET, VOLTAGE: < 5 V	

Tolerances of the technical data for measured values and components according to the standard DIN IEC // Subject to technical changes